






The Threaded "V" and "CH" type anchors



These anchors are only suitable for screwing onto a stud

Commenced On : 17.1.2014	Drawn by: Tvikon s.r.o.	Product description: Threaded V/CH	
		This drawing is the property of Tvikon s.r.o. Unauthorized use of patented features and / or and reproduction of this drawing is strictly prohibited.	Threaded V/CH System
		Dwg nr. T-14/105	
Tvikon s.r.o., U Landronky 1145/42, 169 00 Praha 6, Břevnov, tvikon@tvikon.cz, Phone: +420775908330			

The Threaded "V" and "CH" type anchors



Tvikon


Tvikon s.r.o., U Landronky 1145/42, 169 00 Praha 6, Břevnov, tvikon@tvikon.cz, Phone: +420775908330

This drawing is the property of Tvikon s.r.o. Unauthorized use of patented features and / or and reproduction of this drawing is strictly prohibited.

"V" on Nut System


Dwg nr. T-14/106

Ordering examples and standard alloys available	<h1>TCH1</h1> <p>D_{max} = 12 mm D_{min} = 5 mm</p> <p>L_{max} = 500 mm L_{min} = 45 mm</p>
<p>Example</p> <h2>TCH1.8(60)-300-310M8</h2> <p style="text-align: center;"> ↑ ↑ ↑ ↑ </p> <p>Anchor type Diameter D(angle A°) Length L Alloy type/ThreadM</p>	



<h1 style="color: red;">Tvikon</h1>	This drawing is the property of Tvikon s.r.o. Unauthorized use of patented features and / or and reproduction of this drawing is strictly prohibited.	"V" on Nut System Dwg nr. T-14/107
Tvikon s.r.o., U Landronky 1145/42, 169 00 Praha 6, Břevnov, tvikon@tvikon.cz, Phone: +420775908330		

Ordering examples and standard alloys available	<h1>TCH2</h1> <p>D_{max} = 12 mm D_{min} = 5 mm</p> <p>L_{max} = 500 mm L_{min} = 45 mm</p>
<p>Example</p> <h2>TCH2.8(60)-200-310M8</h2> <p style="text-align: center;"> </p> <p>Anchor type Diameter D(angle A°) Length L Alloy type/ThreadM</p>	



Tvikon

Tvikon s.r.o., U Landronky 1145/42, 169 00 Praha 6, Břevnov, tvikon@tvikon.cz, Phone: +420775908330

This drawing is the property of Tvikon s.r.o. Unauthorized use of patented features and / or and reproduction of this drawing is strictly prohibited.

"V" on Nut System

Dwg nr. T-14/108

<p>Ordering examples and standard alloys available</p>	<p style="text-align: center; font-size: 24pt;">TV1</p> <p>D_{max} = 12 mm D_{min} = 5 mm</p> <p>L_{max} = 500 mm L_{min} = 45 mm</p>	
<p style="text-align: center;">Example</p> <p style="text-align: center; font-size: 24pt;">TV1.12(60)-150-310M10</p> <p style="text-align: center;"> ↑ ↑ ↑ ↑ </p> <p>Anchor type Diameter D(angle A°) Length L Alloy type/ThreadM</p>		
<p style="text-align: center; font-size: 24pt; color: red;">Tvikon</p> <p style="font-size: 8pt;">Tvikon s.r.o., U Landronky 1145/42, 169 00 Praha 6, Břevnov, tvikon@tvikon.cz, Phone: +420775908330</p>	<p style="font-size: 8pt;">This drawing is the property of Tvikon s.r.o. Unauthorized use of patented features and / or and reproduction of this drawing is strictly prohibited.</p>	<p style="text-align: center;">"V" on Nut System</p> <p style="text-align: center;">Dwg nr. T-14/109</p>